



Global first-class integrator of industrial vehicles and intelligent logistics systems



HELI Europe Headquarter GmbH

Add/Grüner Weg 14, 61169, Friedberg (Hessen) Germany
Email/helieuropehq@helichina.net

HELI Europe SAS

Add/Rue du Cap de Bonne Esperance, Eurocap Bat. A9, 62231 Coquelles, France
Email/helieurope@helichina.net
Tel/ 03 21 96 06 64 Mob/ 0672 49 90 46

Catalog No.20260306 Fokeli Print

HELI
SINCE 1958

WORLD-CLASS EXCELLENCE
CENTURY-OLD HELI



Europe PRODUCTS RANGE

2026 Spring

 www.helieurope.eu

PRODUCTS RANGE



GENERAL DESCRIPTION OF THE COMPANY

Anhui Forklift Group Corporation Ltd. / Anhui HELI Co., Ltd. (hereinafter referred as HELI) is a leading enterprise of industrial trucks in China. In 2016, HELI became the top 7 in world industrial vehicle industry (According to the survey by chinaforklift.com and MMH).

Supported by our global partners, HELI has built an international marketing and service network across more than 80 countries and regions, with products now sold in over 150 markets worldwide.

HELI established its European centers in Germany and France, Southeast Asia center in Thailand; North American center in the United States; South American center in Uruguay and Middle East center in UAE, which enhance the service ability in overseas market. In the next five years, HELI will strongly promote its internationalization operation, and continue to build a global famous brand.

ELECTRIC FORKLIFT
PAGE 01-03

01



REACH TRUCK
PAGE 04

02



INTERNAL COMBUSTION FORKLIFT
PAGE 05

03



HEAVY-DUTY FORKLIFT
PAGE 06-08

04



WAREHOUSE TRUCK
PAGE 09-11

05



TOW TRACTOR
PAGE 12

06



ROUGH TERRAIN FORKLIFT
PAGE 13

07



TELESCOPIC HANDLER
PAGE 14

08



INTELLIGENT LOGISTICS SYSTEM
PAGE 15-16

09



ELECTRIC FORKLIFT



HELI

Four wheels ▼

1.5-3.5t H4 series

CPD15/18/20/25/30/35

A3LIH4-M
 A3H4-M



AC controller: Inmotion
80V/150Ah-560Ah(Lithium battery options)
48V/480Ah-600Ah, 80V/480Ah (lead-acid battery options)
Dual core controller
Turning automatic deceleration

1.5-3.8t G2 series

CPD15/18/20/25/30/35/38

GB2LI-H/M
 GC6LI-S



AC controller:ZAPI(GB2LI),HELI(GC6LI)
H/M: 80V/202Ah-604Ah
S:80V/150Ah-604Ah
Integrated cast drive axle
Max. lifting height 7500mm

4-5t G2 series

CPD40/45/50

G2A1LI

CPD50

G2A1LI-600



AC controller: WEIDER
153.6V/230Ah-346Ah
Permanent magnet synchronous motor
Load sensing(std.)

2-3.8t K3 series

CPD20/25/30/35/38

A6LIK3-H



AC controller: HELI
80V/204Ah-608Ah
self heating function
Extra-large boarding space

2-3.5t G2 series Plus

CPD20/25/30/35

GD2LI-M

NEW



AC controller:ZAPI
80V/280Ah-604Ah
Higher capacity
Full floating suspension seat(std.)

6-7t G2 series

CPD60/70

A11LIG2-H



AC controller: WEIDER
326.4V/150Ah-250Ah
Dual power system
HELI FICS system(optional)

ELECTRIC FORKLIFT



8.5-10t G2 series

CPD85/100

A11LIG2-M



AC controller: WEIDER
326.4V/202Ah-280Ah
Dual power system
HELI FICS system(optional)

1.5-2t G3 series

CPD15/16/18/20

A2DLIG3-M
 A2DG3-M



AC controller:ZAPI
80V/202Ah-404Ah(lithium battery options)
48V/440Ah-750Ah(lead-acid battery options)
Front Dual Drive
Dual core controller

2-3.5t G3 series Plus

CPD20/25/30/35

BDLIG3

NEW



AC Controller:ZAPI
80V/280Ah-684Ah (lithium battery options)
Dual drive (Battery side extraction as standard)
Auto Park

2.5-3.5t G3 series

CPD25/30/35

GE2DLI



AC controller:ZAPI
80V/271Ah-606Ah
Dual-drive
Small turning radius

4-5t G3 series

CPD40/45/50

A2DLIG3
 GD2LI-600*

*Load center 600mm

Upgrade



AC controller:ZAPI
80V/560Ah-606Ah
Front Dual Drive
High IP protection

6-10t G3 series

CPD60/70/85/100

GB2DLI
 GB2D



AC controller: ZAPI
80V/606Ah-1212Ah(lithium battery options)
80V/840Ah-1000Ah(lead-acid battery options)
Battery side extraction as standard
Grammer suspension seat(std.)

Three wheels ▼**0.8-1.2t**

H4 series

CPD08/10/12SQ
 A1LIH4
 A1H4


AC Controller: Curtis
 24V/250Ah-404Ah (lithium battery options)
 24V/240Ah-480Ah (lead-acid battery options)
 Front drive, Built-in charger as standard

1.3-2t

G3 series

CPD13/15/16/18/20SQ
 A2LI(P)G3-M
 A2(P)G3-M


AC Controller: ZAPI
 80V/150Ah-404Ah (lithium battery options)
 48V/400Ah-720Ah (lead-acid battery options)
 Front dual drive, Battery side extraction as option
 Built-in charger as option

1.3-2t

G3 series

CPD13/15/16/18/20SQ
 A6LIG3-S
 A6G3-S


AC controller: HELI
 80V/150Ah-404Ah (lithium battery options)
 48V/400Ah-660Ah (lead-acid battery options)
 Front dual drive
 Built-in charger as option

REACH TRUCK

/

1.6-2t

G2 series

CQD16/20

GB2SHDLI



Heavy Duty models
 AC Controller: ZAPI
 80V/202Ah-280Ah (lithium battery options)
 Max. lifting height: 12500mm
 Fingertips as standard

1.2-2t

G2 series

CQD12/14/16/20
 GB2SLI
 GB2S


AC Controller: ZAPI
 80V/150Ah-280Ah (lithium battery options)
 48V/310Ah-560Ah (lead-acid battery option)
 Max. lifting height: 9500mm
 Fingertips as standard

1.4-2.5t

G3 series


CQD14/16/20/25

A2SHDLIG3

NEW

Heavy Duty models
 AC Controller: ZAPI
 80V/250Ah-625Ah (lithium battery options)
 Max. lifting height: 4300-11000mm (1.4-1.6t)
 4300-14500mm (2-2.5t)

INTERNAL COMBUSTION FORKLIFT



HELI

HEAVY-DUTY FORKLIFT



HELI

High-Performance ▼

1-3.5t H3 Series

CPCD/CP(Q)YD 10-35



Capacity: 1000-3500kg@500mm
Diesel/LPG/GAS, Euro V

2-3.5t G3 Series

CPCD/CPQ(Y)D 20-35



Capacity: 2000-3500kg@500mm
Diesel/GAS/LPG, Euro V

4-5t G3 Series

CPCD/CPQ(Y)D 40-50



Capacity: 4000-5000kg@500mm/ 5000kg@600mm
Diesel/GAS/LPG, Euro V

5-7t G3 Series

CPCD/CPQ(Y)D 50-70



Capacity: 5000-10000kg@600mm
Diesel/GAS/LPG, Euro V

8.5-10t G3 Series

CPCD 85-100



Capacity: 8500-10000kg@600mm
Diesel, Euro V

Electric Heavy-duty Forklift ▼

12-18t G Series



CPD 120-180

Load center: 900/600mm
Lift height (standard): 3000mm
Battery capacity: 618.24V/228Ah(std.)

14-16t G Series



CPD 140-160

Load center: 1200mm
Lift height (standard): 3000mm
Battery capacity: 618.24V/228Ah

20-35t G2 Series



CPD 200-350

Load center: 1200mm
Lift height (standard): 4000mm
Battery capacity: 608.58V/346Ah

38-55t G2 Series



CPD 380-550

Load center: 1200mm
Lift height (standard): 3000mm
Battery capacity: 618.24V/684Ah



IC Heavy-duty Forklift ▼

12-16t
G Series



CPCD 120-160

Capacity: 12000-16000kg
Load center: 900/600mm
Lift height (standard): 3000mm
Diesel, Euro V

14-16t
G Series



CPCD140-160

Capacity: 14000-16000kg
Load center: 900/1200mm
Lift height (standard): 3000mm
Diesel, Euro V

18-20t
G Series



CPCD 180-200

Capacity: 18000-20000kg
Load center: 1200mm
Lift height (standard): 4000mm
Diesel, Euro V

20-25t
G2 Series



CPCD 200-250

Capacity: 20000-25000kg
Load center: 1200mm
Lift height (standard): 4000mm
Diesel, Euro V

28-35t
G2 Series



CPCD 280-350

Capacity: 28000-35000kg
Load center: 1200mm
Lift height (standard): 4000mm
Diesel, Euro V

38-46t
G2 Series



CPCD 380-460

Capacity: 38000-46000kg
Load center: 1200mm
Lift height (standard): 4000mm
Diesel, Euro V



60-70t
G2 Series



CPCD 600-700

Capacity: 60000-70000kg
Load center: 1200mm
Lift height (standard): 3000mm
Diesel, Euro V

Reach Stacker & Handler ▼

45t
G2 Series



Reach Stacker

Lifting Capacity(1st/2nd/3rd row): 45000/31000/15000kg
45000/27000/13000kg
Load center(1st/2nd/3rd row): 1965/3850/6400mm
Max lifting height: 15050mm
Diesel, Euro V

45t
G2 Series



Reach Stacker

Lifting Capacity(1st/2nd/3rd row): 45000/31000/15000kg
45000/27000/15000kg
Load center(1st/2nd/3rd row): 1965/3850/6400mm
Max lifting height: 15100mm
Battery capacity: 422.9kWh(std.)/507kWh(opt.)

25t
G2 Series



Empty Container Handler

Lifting Capacity: 9000kg
Load center: 1220mm
Max lifting height: 18845/21345mm
Battery capacity: 656.8V/536Ah

WAREHOUSE TRUCK



Pallet Truck ▾

CBD15/18/20J-Li3



Capacity: 1500-2000kg
24V/20Ah/30Ah/40Ah(15J)
48V/15Ah/20Ah(18J/20J)
DC Controller, Lithium battery



CBD15/20-BLIH



Capacity: 1500/2000kg
24V/40Ah/50Ah/60Ah
48V/20Ah/30Ah
DC Controller, Lithium battery



CBD16/20-C2LIH



Capacity: 1600/2000kg
24V/90Ah/150Ah
AC Controller
Lithium Battery



CBD20/25/30-A2FLIH



Capacity: 2000/2500/3000kg
24V/205Ah/230Ah/280Ah
AC Controller
Lithium battery



CBD20-A2RBLIH



Capacity: 2000kg
24V/205Ah-404Ah
AC Controller
Lithium battery



CBD20/25-UGD



Capacity: 2000/2500kg
24V/270Ah
AC Controller
Option: Lithium battery



WAREHOUSE TRUCK



Stacker ▾

CDD12J(D)



Capacity: 1200kg
Lift height: 1600mm
(Mono mast/Single mast),
2000-3500mm
24V/100Ah
DC Controller
Option: Lithium battery



CDD15J



Capacity: 1500kg
lift height: 1600mm
(Single mast),
2000-3500mm
24V/100Ah
DC Controller
Option: Lithium battery



CDD15J-ZSM



Capacity: 1500kg
lift height: 4000/4600mm
(3-stage STD)
24V/210Ah, AC Controller
Option: Lithium battery



CDD10/12R-S



Capacity: 1000/1200kg
lift height: 1600-3300mm
24V/105(125)Ah
AC Controller
Double-pallet handling



CDD10/12RD-S



Capacity: 1000/1200kg
lift height: 1600/1950mm
24V/105(125)Ah
AC Controller
Double-pallet handling



CDD16/20-A2LIH



Capacity: 1600/2000kg
Lift height: 2000-6000mm
24V/205Ah/300Ah
AC Controller
Lithium Battery



CDD16/20-A2FLIH



Capacity: 1600/2000kg
Lift height:
2000-6000mm
24V/205Ah-300Ah
AC Controller
Lithium battery



CDD16/20-A2FDLIH



Capacity: 1600/2000kg
lift height: With initial lift
24V/205Ah-404Ah
AC Controller
Lithium Battery



Order Picker ▼

OPD10/14-A3RLIG



Capacity:
1400@600mm
Controller: Inmotion
80V/202Ah-250Ah lithium battery

OPD20/25L-A2LIH



Capacity:
2000@600mm/2500kg@1200mm
Controller: ZAPI
24V/404Ah lithium battery

OPL10-S



Capacity: 1000kg
lift height: 2000mm
24V/450Ah, AC Controller

OPL10/12



Capacity:
1000/1200kg
lift height: 1140mm
24V/240Ah, AC Controller

OPSM



load capacity of loading dock: 150kg
Pick up height: ~5000mm
24V/105Ah-250Ah, DC Controller, Stand-on

Aerial Work Platform ▼

Self propelled scissor



Max. working height 7.8m
Max. platform height 5.8m

Self propelled scissor



Max. working height 10-13.9m
Max. platform height 8-11.9m



Electric Tractor ▼

3-4.5t G2 Series



QYD30/45S-LF3G2Li

Capacity: 3000-4500kg
Max travel speed: 8km/h
48V/120Ah/202Ah
ZAPI Controller
Lithium battery

2-7t G2 Series



QYD20-70S

Capacity: 2000-7000kg
Max travel speed: 12-14km/h
24V/240Ah/320Ah-48V/210Ah/240Ah/320Ah
ZAPI Controller
Optional: Lithium battery

2-10t G2 Series



BD20-100

Capacity 2000-10000kg
ZAPI controller
Lithium battery

20-30t G2 Series



QYD200-300-A1LI/A2LI

Capacity: 20000-30000kg
80V/560Ah/606Ah/808Ah
Curtis/ZAPI controller, Lithium battery

ROUGH TERRAIN FORKLIFT



2-3.5t(2WD/4WD) G3 Series

CPCD20-35
KU1Y2G3
KU5Y2(4)G3



Capacity: 2000-3500kg@500mm
Diesel, Euro V

2-5t(2WD/4WD) R Series

CPCD20-35
KU5Y4(2)R-2
CPCD30-35
KU6Y4(2)R-3
CPCD40-50
KU4Y4(2)R-3-06



Capacity: 2000kg@500mm-5000kg@600mm
Diesel, Euro V

3.5t G3 Series

CPD35
A16LIY4G3

NEW



Lithium Rough Terrain

Capacity: 3500kg@500mm
AC Controller: HELI
317V/150Ah

5t(4WD) G3 Series

CPCD50
CU1Y4G3



Capacity: 5000kg@600mm
Diesel, Euro V

2.5t(4WD) G3 Series

CPCJ25-
KU3Y4G3



Capacity: 2500kg@500mm
Diesel, Euro V, Compact design

TELESCOPIC HANDLER



3.5-5t H Series

35/40/50
THCJ09/13/17



Capacity: 3500-5000kg
Max. horizontal extension: 5100-13000mm
Max. lifting height: 9000-17000mm
Diesel, Euro V

7.5t H Series

75THCJ10
CU1S



Max. Capacity: 7500kg
Max. horizontal extension: 5473mm
Max. lifting height: 10283mm
Diesel, Euro V

2.5t G Series



25THD06
A7LIG

NEW



Capacity: 2500kg
AC Controller: HELI
310V/150Ah



INTELLIGENT LOGISTICS SYSTEM

♦ Smart Factory:

We provide one-stop intelligent logistics solutions from incoming raw materials, material preparation, material distribution, inter-process transfer and finished product storage.

♦ Smart Storage:

We offer system solutions for many types of storage: floor stacking, high rack storage, cubic storage, and goods-to-person storage and picking operations.


AGV and automated
stereoscopic warehouse interaction

Small items picking:
Goods to Man

Belt Machine Sorting

AGV finished Product Storage

AGV Handling at Assembly Areas



In the field of intelligent logistics systems, HELI develops its own logistics management systems such as CCS (Dispatching Control Centre), WMS (Warehouse Management System), PMS (Production Management System), and MOM (Message-Oriented Middleware); and develops products covering forklift, transfer, traction and non-standard customized AGV products.

HELI has successfully applied intelligent logistics system to home manufacturing, logistics and warehousing, department stores and supermarkets, machinery manufacturing, auto parts processing, electronics processing, and other industries, covering indoor and outdoor factory receiving, issuing, replenishment, warehouse storage, picking and related operations.

Our large in-house team provides one-stop services, including project consultation and planning, solution design, custom development, system integration and after-sales service. We at HELI ensure project quality and deliver a flexible, intelligent and secure logistics management experience.